## GASLD

# USER MANUAL







Official website www.goldaks.com | Email Us contact@goldaks.com Our R&D Address 132 Menachem Begin Road, Tel Aviv, Israel Our Main Office Address 300 W 6th St, Austin, TX 78701,USA | Telephone::+972-52-6664-011







### **Table of Contents**

Welcome	Page 3
Package Details	Page 4
Specifications	Page 5
Component Explainations	Page 6-8
Registration of Warranty	Page 9
Check Originality	Page 10
General Explanation	Page 11-13
Before Getting Started	Page 14
Getting Started	Page 15
First Steps	Page 16-17
Key Signs	Page 18
Mode 1 - PP	Page 19
Mode 2 - PP	Page 20
Mode 3 - PP	Page 21
Mode 4 - EPP	Page 22
Mode 5 - All	Page 23
Mode 6 - Tracking	Page 24
Mode 7 - Gold Light	Page 25
Mode 8 - Silver Light	Page 26
Mode 9 - Diamond Light	Page 27
Mode 10 - Copper Light	Page 28
Q&A	Page 29
Safety	Page 30

USER MANUAL





#### Welcome



### Congratulations!

for choosing the most advanced device in the world. We are working hard to combat the worldwide epidemic of counterfeiting, and we thank you for choosing the original product without question. You can always check the authenticity of your product on our secure website. Take a look at our professional guide to get the best of that product you purchased. The guide is intended only if you already own an original GOLDAKS product. meanwhile, check our new details on our SUPPORT page in our official website: goldaks.com - get to learn from our experts on how to work with our devices. also, we are recommended to subscribe with your email on our website to get exclusive deals and pre-orders for new devices.

have a good search, the GOLDAKS team





### Open the box

#### Make sure all paris are in place

- A waterproof hard suitcase.
- The main unit device with attached handle.
- Electrical wall charger.
- Six antennas with a connection to the device.
- The control filter box with a clip for the pants.
- Small filter unit (if you ordered).
- Warranty card.
- Serial number verification on the control box.
- Serial number verification on the main device.
- Serial number verification on the warranty card.
- Serial number verification on the small filter unit.
- Serial number verification on the outside of the suitcase.
- QR code on the warranty card.
- GOLDAKS user manual.





### **Specifications**

#### Search Name: 3D-DDT (LR-TR) Technology

#### 3D-DDT (LR-TR) Technology

Search System: microcomputer CPU control and reflection

conductivity and P6FE1M algorithm smart development.

Search Range: up to 5000M Detecting Depth: up to 70M

Energy: 12V 1600mAh

Launch Frequency: 5.6-6KHz Signal Frequency: 360-440Hz Package Weight: 3 Kilogram

Detection Type: gold, silver, copper, precious stones.

**Shell Material:** Aluminium

Case Size: Approx.39x29x11.5 CM Adapter Model: KDL-121000

Adapter Input: 100-240V

50-60Hz 0.3A

Adapter Output: 12V 1A
Working Temperature: 0°-40°

Case Material: ip66 plastic waterproof military type


**Charging Methods:** 

This instrument has installed rechargeable batteries, charging

time 6-8 hours.



### Component Explaination



- Super antenna
- A pair of front receiving antennas
- A pair of middle receiving antennas
- 4 A pair of rear receiving antennas
- 5 Ergonomic handle with body and electrical connection directly to the devices chip including antennas and sensors
- The body of the main unit which includes the sensors and the computer unit with the chip processor and our unique algorithm
- 7 Unique serial number on the right side of the device



- 1 ON/OFF POWER SWITCH
- 2 COOPER FILTER
- 3 SILVER FILTER
- 4 GOLD FILTER
- 5 DIAMOND FILTER
- 6 CLIPS FOR PANTS
- 7 FILTER CONTROL BOX
- 8 UNIQUE SERIAL NUMBER



### Component Explaination

### Component Explaination



#### FILTER LONG RANGE




#### WATERPROOF SUITCASE

MILITARY HARD WATERPROOF SUITCASE WITH FOAM CUTTING AGAINST SHOCKS



## FREQUENCIES ANTENNAS



- 1 CHARGER
- ON/OFF POWER SWITCH
- 3 SCANNER INDICATOR
- 4 DIAMOND FILTER
- 5 GOLD FILTER
- 6 SILVER FILTER
- 7 COPPER FILTER



### Registration of Warranty

Congratulations and success due to your purchase of our powerful device. After you have purchased the device from us here, you will be registered securely on our official website **www.goldaks.com** and you will receive an original confirmation for the warranty period you will receive from us regarding the device you bought from us. Anyone who buys the original device from us receives a personal and confidential code which will be placed in the designated place in the registry for our unique warranty which is located on our website.

It is important for us to clarify that here on our website, this is the only place that gives final and absolute approval regarding the warranty of our device. No one else, other than our web site, may give you permission to take effect. The warranty, other than us and / or our distributors, has received written authorization and original certificate that we authorize, including the original company signature.

Of course, every question or problem you might have in the process - we encourage you to contact us and verify the process with us.





### **Check Originality**

First, check the product's authenticity with the serial number on your warranty card. This process is very important because of rumors of counterfeiting. So help us fight counterfeiting by entering the serial number and registering on our website. go to our secure website at goldaks.com to take the first step in operating your unique device.

As for the possibility of counterfeiting the device, please make sure that the device's personal serial number appears in the following locations:

- 1. On top of the main unit
- 2. On top of the control filter unit
- 3. On the small filter (if you bought it)
- 4. On the warranty card
- 5. On top of the suitcase





### General explanation

The Goldaks device with DDT technology and search capabilities in LR-TR technology comes with targeted work programs such as ALL, EPP, PP, TRACKING, LIGHT MODE and many more.


We at Goldaks do not compromise in any way in the planning and production process. We use the highest quality products in order to achieve high quality product.

Our company has existed for decades in the field of discovery, identification of long distances and deep depths.

We have manufactured products for various industries and confidentiality for the purposes of customer's requirement to find various purposes for long distances and deep depths.

Now, we market our product for searching, identifying and discovering gold, silver, copper and diamonds. We are very happy that you have chosen to buy the world's leading product for these purposes.

After many years of experience in our labs, we have reached a finished product that focuses mainly on understanding the targeted search, the fastest and most accurate discovery seen in the world so far. With the help of 6 targeted antennas and SUPER large antenna, sensors and advanced processors in the world.



### **General explanation**


Earth's magnetic field is one of the physical properties of Earth. The magnetic field has an impact on a variety of phenomena on Earth, in its atmosphere and in the space closest to it. In the search


and discovery field, we use it to reset the device we are working with, resetting the device relative to the searchable ground.

When we perform a correct and precise ground balance to the intended ground, we will obtain

accurate results up to 100% accurate and precise success.

When we are in ground balance mode, we always use a compass and stand facing south and back to the north





Stability in a constant movement leads to proper work and good results.








### General explanation


### Finding an exact point

In order to achieve as accurate a result as possible, up to 100% success rate, we must reach the goal accuracy mark at least 3 different times, 3 attempts from different regions and directions, thus creating a kind of mark on the ground, marking the intersection of all the attempts and thus reaching a precise and real point.




#### Finding a precise and fast point

Another recommended method for marking an exact point is to operate the device from all sides of the point you suspect. Thus knowing the most accurate location up to 100 percent success in discovering the most accurate point in the soil of the target. In this method, we also require the use of a small filter against rocks/nuggets/ iron-this filter contributes greatly to the accuracy of the  $\mathcal{L}$ target as well as for qualitative detection without background interference.




### Before getting started





 Plug in the charger and charge the control filter box no more than 2 hours.

then, charge the main unit no more than 6 hours.









### Getting started

#### A correct work instructions

#### Weather

No work during lightning and black sky.



No working around electrical devices such as phones, Cell Phones, radios, etc.

#### **Emotions**

Do not work under anger and irritability and extreme emotion effects.

#### Leather shoes

Strongly advised not to wear leather shoes when using the product.

#### clothing

Work will be performed by wearing clothes made of cotton only.

#### **Body Language**

Always be sure to Stand straight and back straight. This provision is very important for successful.

#### **PLEASE NOTE**



- You must read and understand the User Manual before getting started.
- You must practice several times before using it.
- Store in cool and dry places 15-40° 5%-70% humidity.
- Do not wear jewelry while operate the device.
- Do not use the mobile phone near the device.
- Do not work under high power line.
- Do not work above power or water lines.

### First Steps

#### ANTI IRON / ROCKS/ NUGGETS FILTER

Filter with very high filtering capabilities up to 100% accurate and quiet filtering accuracy.

When working with this filter, follow the exact usage instructions as follows.

It is advisable to place the filter on the ground so that the filter stands in a standing position on the ground and when the antenna is facing up and/or towards the side, but in this case - it is important to be directed to the side of the search. The search distance when using this filter should be up to 100 meters from the search appliance.

If you are moving further away from this distance, you must return and change the filter location on the ground so that it is within the reasonable distance of the search. The filter has wonderful, accurate and verified detection capabilities 3 times in one second. This

detection capabilities 3 times in one second. This algorithm results in great identification results and probably the best identification results in the world for these substances. The filter has direct contact with the main device.

Once you understand how the device works and according to some principles and know its limits - you get accurate results and an easy and convenient search.



### First Steps

#### **Ground Balance**

- The most important step is resetting and calibrating the device
- You must do this when you stand upright and make sure that in the ground below you there are no metals at all.
- Place the Anti-Nuggets/ Iron / Rocks Unit in the right place in the designated search area.
- Be sure of your position in the north-south directions as described in this user manual regarding the magnetism of the earth.
- Lower and adjust the device face face down to the ground keep a straight arm.
- Open the device with on/ off switch button.
- Open the filter control unit with on \ off switch button.
- Choose searching method,
- Stay 3 seconds in this position and then lift the device to a right angle 90 degrees ahead of you.
- Repeat this step 3 times.



#### **Ground Balance**

 This is a very important step and you must understand that if the device is not calibrated and reset, its performance is not meaningful.

We highly recommend that you continue to reset and balance your device in "Tracking mode". Follow the "Tracking Mode" instructions in detail.

Another important recommendation is the linkage of the material you want to search close to the control / filter box of the device during reset in "Tracking mode."







### Key signs

- DDT 3D three-dimensional detection technology for the most advanced search and discovery in the world. Including Distance, Depth and Target.
- ALL- The definition of this concept is a general search with the highest and deepest identification capabilities in the world today.
- LR-TR Long distances up to 5000 meters as a dome that sits above the device 360 degrees around it. Antennas are compared to most advanced antennas that are connected to improved processors and advance toward detection, detection and search capabilities that have not been seen in the world until now.
- EPP Improved version for PP only Here it is super super mode Detector pointer very accurate in a crazy way This mode is used

- mainly for small distances because the displacement capabilities of humans does not allow working in this mode long distances.
- PP Accurate pointer which serves as a very high and very accurate detection option. We need to understand that there is a kind of laser beam going toward the target and the farther the distance, the slightest movement on the instrument can reach a detection motion of up to hundreds of meters.
- P6FE1M Processing Six Frequencies Every One Millisecond.
- ANTI FILTER Filter to silence and cause the disappearance of various types of discoveries such as: rocks, iron and nuggets and thus cause the device to concentrate solely on the great purpose.

#### Mode 1 - PP

- Search up to 100 meters
- Search deep into the ground up to 3 meters

1.X/180°

2.X/45°

3.X/90°

- The pair of front antennas are used for search, detection, and target-focused identification to the extent that the target must meet in direct line with these antennas as an invisible laser beam. Therefore, operation and search must be carried out with great care without unnecessary fluctuations, with an emphasis on focus and stability.
- The other antennas are used to search for a wider, deeper distance and increase the intensity of detection and discovery and in fact are also used as multiples of power.
- Note that in this situation you perform a search according to the above search mode characteristics, and you can not perform a search type that is different from this mode.









### Mode 2 – PP

- Search up to 50 meters
- Search deep into the ground up to 6 meters

1.X/180°

2.X/45°

3X/45°

#### Instructions:

- The pair of front antennas are used for search, detection, and targetfocused identification to the extent that the target must meet in direct line with these antennas as an invisible laser beam. Therefore, operation and search must be carried out with great care without unnecessary fluctuations, with an emphasis on focus and stability.
- These antennas that approach Earth directly are used to search for greater depths in all types of soil.
- The other antennas are used to search for a wider, deeper distance and increase the intensity of detection and discovery and in fact are also used as multiples of power.
- Note that in this situation you perform a search according to the above search mode characteristics, and you can not perform a search type that is different from this mode.

### Mode 3 – PP

- Search up to 10 meters
- Search deep into the ground up to 12 meters

1.X/180°

2.X/90°

3.X/90°

- The pair of front antennas are used for search, detection, and targetfocused identification to the extent that the target must meet in direct line with these antennas as an invisible laser beam. Therefore, operation and search must be carried out with great care without unnecessary fluctuations, with an emphasis on focus and stability.
- These antennas that approach Earth directly (4 antennas) are used to search for greater depths in all types of soil.
- The other antennas are used to search for a wider, deeper distance and increase the intensity of detection and discovery and in fact are also used as multiples of power.
- Note that in this situation you perform a search according to the above search mode characteristics, and you can not perform a search type that is different from this mode.







#### Mode 4 – EPP

- Search up to 1 meters
- Search deep into the ground up to 24 meters

1.X/90°

2.X/90°

3.X/90°

#### Instructions:

- This is one of the most requested situations from our customers.
   The demand for discovery, detection and identification capabilities at greater depths than in the past. We are happy to reveal to you a new situation with the deepest detection, detection and exploration capabilities in a range of up to 1 square meters. Discovery capabilities up to 24 meters deep!
- These antennas that approach Earth directly (6 antennas) are used to search for greater depths in all types of soil.
- Note that in this situation you perform a search according to the above search mode characteristics, and you can not perform a search type that is different from this mode.



#### Mode 5 - ALL

- Search up to 5000 meters
- Search deep into the ground up to 70 meters

1.Y/180°

2.Y/45°

3.Y/90°

- The pair of front antennas are used for purpose-oriented searches. These antennas have the most advanced detection capabilities in the world and are connected to an advanced processor with advanced algorithmic capabilities to solve the question of identification, discovery and search while paying attention to the fastest speed in the field. Accuracy and speed is the name of our game.
- The two medium antennas are from the most extensive search names, as are the two rear antennas that turn toward the Earth, and especially to search for crazy depths that have not yet been seen.
- Note that in this situation you perform a search according to the above search mode characteristics, and you can not perform a search type that is different from this mode.
- This mode is used a lot of times and it is very important to know that after using mode number 6 it is important to activate this mode - mode number 5 ALL





#### Mode 5 - ALL



### Mode 6 - TRACKING MODE

- Advanced ground reset and balance mode.
- If you are in mineral soil, work for up to 20 minutes in this condition.
- Note To start the search job after this step, go to the "ALL 5 Mode" mode only.

1.Z/45°

2.Z/45°

3.Z/45°

- After this mode is turned on, only work in mode 5 ALL Do not operate any other mode because the machine is programmed so that after the TRACKING mode will work only in mode 5 ALL.
- This mode of resetting the device to ground resetting and activating it to suit the specific ground material in order to be adjusted respectively and give us accurate and remarkably fast results.
- In any condition it is recommended to do a ground reset as we have listed in detail at the beginning of the operation manual. In addition, if you work in a mineral land area (where there are lots of mineral salts and so on), this is known in the search field and makes it difficult for the devices to search. Therefore, it is necessary to perform the ground balance to the mineral ground manually and professionally, according to the ground.
- You must hold the device handle firmly and place the device on the ground for search. Place the device so that the handle of the device touches the ground itself. The possibility of contact between the ground and the device is very important since the device is manufactured using high quality metals also to get the connection correctly when the horizontal reset of the ground and the operation of the device in the right way.

### Mode 6 – TRACKING MODE



### Mode 7 - GOLD LIGHT MODE

#### Make identification by purpose - gold

1.X/45°

2.X/45°

3.X/45°

- Antennas straight forward for search distance up to 500 meters for depth search up to 3 meters.
- Straight-forward antennas rods 45 degrees down to search for distances up to 50 meters to search for depths up to 6 meters.
- Using this mode is effective only when you have worked with other situations to approximate your treasure. The above situation is a situation of high strength, accuracy and location and is not suitable for use in the area without purpose.



#### Mode 8 – SILVER LIGHT MODE

#### Make identification by purpose – silver

1.X/45°

2.X/45°

3.X/45°

#### Instructions:

- Antennas straight forward for search distance up to 500 meters for depth search up to 3 meters.
- Straight-forward antennas rods 45 degrees down to search for distances up to 50 meters to search for depths up to 6 meters.
- Using this mode is effective only when you have worked with other situations to approximate your treasure. The above situation is a situation of high strength, accuracy and location and is not suitable for use in the area without purpose.

### Mode 9 - DIAMOND LIGHT MODE

#### Make identification by purpose - diamond

1.X/45°

2.X/45°

3.X/45°

- Antennas straight forward for search distance up to 500 meters for depth search up to 3 meters.
- Straight-forward antennas rods 45 degrees down to search for distances up to 50 meters to search for depths up to 6 meters.
- Using this mode is effective only when you have worked with other situations to approximate your treasure. The above situation is a situation of high strength, accuracy and location and is not suitable for use in the area without purpose.







#### Mode 10 - COPPER LIGHT MODE

#### Make identification by purpose - copper

1.X/45°

2.X/45°

3.X/45°

#### Instructions:

- Antennas straight forward for search distance up to 500 meters for depth search up to 3 meters.
- Straight-forward antennas rods 45 degrees down to search for distances up to 50 meters to search for depths up to 6 meters.
- Using this mode is effective only when you have worked with other situations to approximate your treasure. The above situation is a situation of high strength, accuracy and location and is not suitable for use in the area without purpose.



#### Q&A

#### Q: Are there other ways to learn?

A: There are a lot of methods provided by a variety of professionals in the field, each professional and his module, we recommend only this method of work and ensure that if you work in our method step by step with great attention to every detail in each stage you can get great results.

Q: I have practiced and followed all the instructions you have entered, yet the device is not functioning well. what should I do? A: First of all, we're glad you're trying. If you invest enough thought and effort and follow each and every section at every stage, we are sure you will achieve your good goals. You can receive additional advice from one of our representatives 24/7 at any time.

#### Q: Are there translations into other languages?


A: Yes, we have translations in a variety of languages. English, Arabic, Hebrew, French, Spanish, German and Chinese. Soon we will publish in other languages. Hope these translations serve you.

### Q: Can I operate the device not according to your steps but according to my wishes?

A: We do not recommend this. We worked hard to get to the list of orderly steps. But in the bottom line the device belongs to you and therefore you can do what you want of course within the law and of course we do not take responsibility for the results that are not by the way our clear instructions.







### Safety

#### Safety while charging

Be careful when using the charger. Read the exact usage instructions listed in the User Manual To ensure that you do not exceed the charging times.

#### Use authorized areas

Our obligation to inform and recommend you to search areas. Since this is a site serving all customers on the web, we generally refer to this topic. Each country has its own laws, laws relating to the legality of the search for natural resources, lost treasures, antiquity, definition of what is considered antiques, prohibited areas for search and areas to be searched, rules for finding and handling antiquities. We encourage each of our clients to follow these instructions and laws in their designated search area. In most countries there are no exceptional restrictions on this issue, but we still want to bring this matter to your attention. Hope you have good, satisfying searches. The GOLDAKS team.

#### Search area boundaries

This is a very important issue. We recommend searching to focus on a specific search area and know its limits. Our advanced device has evacuation capabilities up to 5 kilometers. This is a great distance, definitely the highest and most advanced detection and search capability in the world, so you should be aware that you are not invading areas that are privately owned and that limit borders. Of course this is only our recommendation. Sure you'll find treasures, the GOLDAKS team.







Official website www.goldaks.com | Email Us contact@goldaks.com Our R&D Address 132 Menachem Begin Road, Tel Aviv, Israel Our Main Office Address 300 W 6th St, Austin, TX 78701,USA | Telephone:+972-52-6664-011









Official website www.goldaks.com | Email Us contact@goldaks.com Our R&D Address 132 Menachem Begin Road, Tel Aviv, Israel Our Main Office Address 300 W 6th St, Austin, TX 78701,USA | Telephone:+972-52-6664-011









